

XS Touchpad Keyboard



Le varianti di realizzazione possono differire dall'immagine del prodotto

Piccola, piatta ed estremamente robusta

La tastiera "XS Touchpad Keyboard" (G84-5500) fonde comodità di controllo del mouse e dimensioni compatte. L'ampio touchpad con due tasti del mouse consente un controllo semplice e preciso del puntatore.

Vantaggi decisivi

- Touchpad di qualità eccellente con due pulsanti del mouse per un pratico controllo del puntatore
- Elevata affidabilità e sensazione al tatto precisa grazie ai tasti singoli con contatti Gold Crosspoint (tecnologia Cherry ML)
- Ideale per un uso continuato grazie all'elevata durata degli oltre 20 milioni di pressioni per ogni singolo tasto
- Dimensioni compatte e altezza totale molto contenuta, ideale per spazi ridotti e per applicazioni da 19"
- Dimensioni unitarie e dimensioni di ingombro della famiglia completa di prodotti XS - è possibile scegliere la tastiera in base all'applicazione specifica
- Peso ridotto - quando ogni singolo grammo fa la differenza
- Plug & Play - utilizzabile con driver standard del sistema operativo
- Supporta Code Set 3 e UnifiedPOS
- Possibilità di fissaggio per l'installazione fissa
- Piedini di regolazione smontabili per la regolazione personalizzata dell'inclinazione della tastiera
- Tasti programmabili per ulteriore risparmio di tempo

Dati tecnici:

Layout (Paese o lingua):

A seconda del prodotto, vedere tabella "Varianti di realizzazione"

Colore alloggiamento:

A seconda del prodotto, vedere tabella "Varianti di realizzazione"

Colore tasti:

A seconda del prodotto, vedere tabella "Varianti di realizzazione"

Peso (prodotto):

ca. 540 g

Peso totale (con imballo):

ca. 670 g

Lunghezza cavo:

ca. 2,50 m

Temperatura di magazzinaggio:

da -20°C a 60°C

Temperatura di esercizio:

da 0°C a 60°C

Corrente assorbita:

35 mA (tipica)

Connessione:

A seconda del prodotto, vedere tabella "Varianti di realizzazione"

Autorizzazioni del prodotto:

- cURus 
- c-tick 
- VCCI 
- CE 
- FCC 
- VDE 
- BSMI 

Requisiti di sistema:

A seconda del prodotto, vedere tabella "Varianti di realizzazione"

Dotazione:

- XS Touchpad Keyboard
- manuale d'uso cartaceo
- 2 piedini di regolazione montabili

Dimensioni (prodotto):

ca. 374 x 139 x 18 mm

Dimensioni imballo:

ca. 393 x 196 x 33 mm

Affidabilità:

- MTBF > 4,9 milioni di ore

Touchpad:

- Risoluzione: 1000 dpi
- Numero di tasti: 2

Tastiera:

- Tecnologia dei tasti: ML
- Durata dei tasti standard: > 20 milioni di pressioni
- Caratteristica di azionamento: Lineare
- Tecnologia diciture: Laser
- Layout diciture: Standard
- Numero di tasti: A seconda del prodotto, vedere tabella "Varianti di realizzazione"

Confezione:

- Numero di prodotti nel cartone: 21
- Numero di cartoni per pallet: 12

Durata della garanzia:

2 anni

Con riserva di errori, modifiche tecniche e modalità di consegna. I dati tecnici si riferiscono solo alle specifiche dei prodotti. Le caratteristiche non vengono garantite in questo contesto.

Varianti di realizzazione:

(Possibili varianti per paese/layout, altre su richiesta)

	Nome prodotto	Numero d'ordine	Layout (Paese o lingua)	Colore alloggiamento	Colore tasti	Connessione	Requisiti di sistema	Numero di tasti
1	XS Touchpad Keyboard	G84-5500LPMBE-0	Belgio	grigio chiaro	grigio chiaro	PS/2 (tastiera), PS/2 (mouse, trackball, touchpad)	Porte PS/2 per tastiera e mouse	89
2	XS Touchpad Keyboard	G84-5500LPMBE-2	Belgio	nero	nero	PS/2 (tastiera), PS/2 (mouse, trackball, touchpad)	Porte PS/2 per tastiera e mouse	89
3	XS Touchpad Keyboard	G84-5500LPMCH-0	Svizzera	grigio chiaro	grigio chiaro	PS/2 (tastiera), PS/2 (mouse, trackball, touchpad)	Porte PS/2 per tastiera e mouse	89
4	XS Touchpad Keyboard	G84-5500LPMCH-2	Svizzera	nero	nero	PS/2 (tastiera), PS/2 (mouse, trackball, touchpad)	Porte PS/2 per tastiera e mouse	89
5	XS Touchpad Keyboard	G84-5500LPMDE-0	Germania	grigio chiaro	grigio chiaro	PS/2 (tastiera), PS/2 (mouse, trackball, touchpad)	Porte PS/2 per tastiera e mouse	89
6	XS Touchpad Keyboard	G84-5500LPMDE-2	Germania	nero	nero	PS/2 (tastiera), PS/2 (mouse, trackball, touchpad)	Porte PS/2 per tastiera e mouse	89
7	XS Touchpad Keyboard	G84-5500LPMDK-0	Danimarca	grigio chiaro	grigio chiaro	PS/2 (tastiera), PS/2 (mouse, trackball, touchpad)	Porte PS/2 per tastiera e mouse	89
8	XS Touchpad Keyboard	G84-5500LPMDK-2	Danimarca	nero	nero	PS/2 (tastiera), PS/2 (mouse, trackball, touchpad)	Porte PS/2 per tastiera e mouse	89
9	XS Touchpad Keyboard	G84-5500LPMES-0	Spagna	grigio chiaro	grigio chiaro	PS/2 (tastiera), PS/2 (mouse, trackball, touchpad)	Porte PS/2 per tastiera e mouse	89
10	XS Touchpad Keyboard	G84-5500LPMES-2	Spagna	nero	nero	PS/2 (tastiera), PS/2 (mouse, trackball, touchpad)	Porte PS/2 per tastiera e mouse	89

	Nome prodotto	Numero d'ordine	Layout (Paese o lingua)	Colore alloggiamento	Colore tasti	Connessione	Requisiti di sistema	Numero di tasti
11	XS Touchpad Keyboard	G84-5500LPMEU-0	Inglese USA con simbolo EURO	grigio chiaro	grigio chiaro	PS/2 (tastiera), PS/2 (mouse, trackball, touchpad)	Porte PS/2 per tastiera e mouse	88
12	XS Touchpad Keyboard	G84-5500LPMEU-2	Inglese USA con simbolo EURO	nero	nero	PS/2 (tastiera), PS/2 (mouse, trackball, touchpad)	Porte PS/2 per tastiera e mouse	88
13	XS Touchpad Keyboard	G84-5500LPMFR-0	Francia	grigio chiaro	grigio chiaro	PS/2 (tastiera), PS/2 (mouse, trackball, touchpad)	Porte PS/2 per tastiera e mouse	89
14	XS Touchpad Keyboard	G84-5500LPMFR-2	Francia	nero	nero	PS/2 (tastiera), PS/2 (mouse, trackball, touchpad)	Porte PS/2 per tastiera e mouse	89
15	XS Touchpad Keyboard	G84-5500LPMGB-0	UK	grigio chiaro	grigio chiaro	PS/2 (tastiera), PS/2 (mouse, trackball, touchpad)	Porte PS/2 per tastiera e mouse	89
16	XS Touchpad Keyboard	G84-5500LPMGB-2	UK	nero	nero	PS/2 (tastiera), PS/2 (mouse, trackball, touchpad)	Porte PS/2 per tastiera e mouse	89
17	XS Touchpad Keyboard	G84-5500LPMHU-0	Ungheria	grigio chiaro	grigio chiaro	PS/2 (tastiera), PS/2 (mouse, trackball, touchpad)	Porte PS/2 per tastiera e mouse	89
18	XS Touchpad Keyboard	G84-5500LPMHU-2	Ungheria	nero	nero	PS/2 (tastiera), PS/2 (mouse, trackball, touchpad)	Porte PS/2 per tastiera e mouse	89
19	XS Touchpad Keyboard	G84-5500LPMIT-0	Italia	grigio chiaro	grigio chiaro	PS/2 (tastiera), PS/2 (mouse, trackball, touchpad)	Porte PS/2 per tastiera e mouse	89
20	XS Touchpad Keyboard	G84-5500LPMIT-2	Italia	nero	nero	PS/2 (tastiera), PS/2 (mouse, trackball, touchpad)	Porte PS/2 per tastiera e mouse	89

	Nome prodotto	Numero d'ordine	Layout (Paese o lingua)	Colore alloggiamento	Colore tasti	Connessione	Requisiti di sistema	Numero di tasti
21	XS Touchpad Keyboard	G84-5500LPMNO-0	Norvegia	grigio chiaro	grigio chiaro	PS/2 (tastiera), PS/2 (mouse, trackball, touchpad)	Porte PS/2 per tastiera e mouse	89
22	XS Touchpad Keyboard	G84-5500LPMNO-2	Norvegia	nero	nero	PS/2 (tastiera), PS/2 (mouse, trackball, touchpad)	Porte PS/2 per tastiera e mouse	89
23	XS Touchpad Keyboard	G84-5500LPMPL-0	Polonia	grigio chiaro	grigio chiaro	PS/2 (tastiera), PS/2 (mouse, trackball, touchpad)	Porte PS/2 per tastiera e mouse	89
24	XS Touchpad Keyboard	G84-5500LPMPL-2	Polonia	nero	nero	PS/2 (tastiera), PS/2 (mouse, trackball, touchpad)	Porte PS/2 per tastiera e mouse	89
25	XS Touchpad Keyboard	G84-5500LPMPO-0	Portogallo	grigio chiaro	grigio chiaro	PS/2 (tastiera), PS/2 (mouse, trackball, touchpad)	Porte PS/2 per tastiera e mouse	89
26	XS Touchpad Keyboard	G84-5500LPMPO-2	Portogallo	nero	nero	PS/2 (tastiera), PS/2 (mouse, trackball, touchpad)	Porte PS/2 per tastiera e mouse	89
27	XS Touchpad Keyboard	G84-5500LPMSF-0	Svezia / Finlandia	grigio chiaro	grigio chiaro	PS/2 (tastiera), PS/2 (mouse, trackball, touchpad)	Porte PS/2 per tastiera e mouse	89
28	XS Touchpad Keyboard	G84-5500LPMSF-2	Svezia / Finlandia	nero	nero	PS/2 (tastiera), PS/2 (mouse, trackball, touchpad)	Porte PS/2 per tastiera e mouse	89
29	XS Touchpad Keyboard	G84-5500LPMSK-0	Slovacchia	grigio chiaro	grigio chiaro	PS/2 (tastiera), PS/2 (mouse, trackball, touchpad)	Porte PS/2 per tastiera e mouse	89
30	XS Touchpad Keyboard	G84-5500LPMSK-2	Slovacchia	nero	nero	PS/2 (tastiera), PS/2 (mouse, trackball, touchpad)	Porte PS/2 per tastiera e mouse	89

	Nome prodotto	Numero d'ordine	Layout (Paese o lingua)	Colore alloggiamento	Colore tasti	Connessione	Requisiti di sistema	Numero di tasti
31	XS Touchpad Keyboard	G84-5500LPMTQ-0	Turchia	grigio chiaro	grigio chiaro	PS/2 (tastiera), PS/2 (mouse, trackball, touchpad)	Porte PS/2 per tastiera e mouse	89
32	XS Touchpad Keyboard	G84-5500LPMTQ-2	Turchia	nero	nero	PS/2 (tastiera), PS/2 (mouse, trackball, touchpad)	Porte PS/2 per tastiera e mouse	89
33	XS Touchpad Keyboard	G84-5500LPMTS-0	Repubblica Ceca	grigio chiaro	grigio chiaro	PS/2 (tastiera), PS/2 (mouse, trackball, touchpad)	Porte PS/2 per tastiera e mouse	89
34	XS Touchpad Keyboard	G84-5500LPMTS-2	Repubblica Ceca	nero	nero	PS/2 (tastiera), PS/2 (mouse, trackball, touchpad)	Porte PS/2 per tastiera e mouse	89
35	XS Touchpad Keyboard	G84-5500LUMBE-0	Belgio	grigio chiaro	grigio chiaro	USB	Porta USB	89
36	XS Touchpad Keyboard	G84-5500LUMBE-2	Belgio	nero	nero	USB	Porta USB	89
37	XS Touchpad Keyboard	G84-5500LUMCH-0	Svizzera	grigio chiaro	grigio chiaro	USB	Porta USB	89
38	XS Touchpad Keyboard	G84-5500LUMCH-2	Svizzera	nero	nero	USB	Porta USB	89
39	XS Touchpad Keyboard	G84-5500LUMDE-0	Germania	grigio chiaro	grigio chiaro	USB	Porta USB	89
40	XS Touchpad Keyboard	G84-5500LUMDE-2	Germania	nero	nero	USB	Porta USB	89
41	XS Touchpad Keyboard	G84-5500LUMDK-0	Danimarca	grigio chiaro	grigio chiaro	USB	Porta USB	89
42	XS Touchpad Keyboard	G84-5500LUMDK-2	Danimarca	nero	nero	USB	Porta USB	89
43	XS Touchpad Keyboard	G84-5500LUMES-0	Spagna	grigio chiaro	grigio chiaro	USB	Porta USB	89
44	XS Touchpad Keyboard	G84-5500LUMES-2	Spagna	nero	nero	USB	Porta USB	89
45	XS Touchpad Keyboard	G84-5500LUMEU-0	Inglese USA con simbolo EURO	grigio chiaro	grigio chiaro	USB	Porta USB	88
46	XS Touchpad Keyboard	G84-5500LUMEU-2	Inglese USA con simbolo EURO	nero	nero	USB	Porta USB	88
47	XS Touchpad Keyboard	G84-5500LUMFR-0	Francia	grigio chiaro	grigio chiaro	USB	Porta USB	89
48	XS Touchpad Keyboard	G84-5500LUMFR-2	Francia	nero	nero	USB	Porta USB	89
49	XS Touchpad Keyboard	G84-5500LUMGB-0	UK	grigio chiaro	grigio chiaro	USB	Porta USB	89
50	XS Touchpad Keyboard	G84-5500LUMGB-2	UK	nero	nero	USB	Porta USB	89
51	XS Touchpad Keyboard	G84-5500LUMHU-0	Ungheria	grigio chiaro	grigio chiaro	USB	Porta USB	89
52	XS Touchpad Keyboard	G84-5500LUMHU-2	Ungheria	nero	nero	USB	Porta USB	89

	Nome prodotto	Numero d'ordine	Layout (Paese o lingua)	Colore alloggiamento	Colore tasti	Connessione	Requisiti di sistema	Numero di tasti
53	XS Touchpad Keyboard	G84-5500LUMIT-0	Italia	grigio chiaro	grigio chiaro	USB	Porta USB	89
54	XS Touchpad Keyboard	G84-5500LUMIT-2	Italia	nero	nero	USB	Porta USB	89
55	XS Touchpad Keyboard	G84-5500LUMNO-0	Norvegia	grigio chiaro	grigio chiaro	USB	Porta USB	89
56	XS Touchpad Keyboard	G84-5500LUMNO-2	Norvegia	nero	nero	USB	Porta USB	89
57	XS Touchpad Keyboard	G84-5500LUMPL-0	Polonia	grigio chiaro	grigio chiaro	USB	Porta USB	89
58	XS Touchpad Keyboard	G84-5500LUMPL-2	Polonia	nero	nero	USB	Porta USB	89
59	XS Touchpad Keyboard	G84-5500LUMPO-0	Portogallo	grigio chiaro	grigio chiaro	USB	Porta USB	89
60	XS Touchpad Keyboard	G84-5500LUMPO-2	Portogallo	nero	nero	USB	Porta USB	89
61	XS Touchpad Keyboard	G84-5500LUMSF-0	Svezia / Finlandia	grigio chiaro	grigio chiaro	USB	Porta USB	89
62	XS Touchpad Keyboard	G84-5500LUMSF-2	Svezia / Finlandia	nero	nero	USB	Porta USB	89
63	XS Touchpad Keyboard	G84-5500LUMSK-0	Slovacchia	grigio chiaro	grigio chiaro	USB	Porta USB	89
64	XS Touchpad Keyboard	G84-5500LUMSK-2	Slovacchia	nero	nero	USB	Porta USB	89
65	XS Touchpad Keyboard	G84-5500LUMTQ-0	Turchia	grigio chiaro	grigio chiaro	USB	Porta USB	89
66	XS Touchpad Keyboard	G84-5500LUMTQ-2	Turchia	nero	nero	USB	Porta USB	89
67	XS Touchpad Keyboard	G84-5500LUMTS-0	Repubblica Ceca	grigio chiaro	grigio chiaro	USB	Porta USB	89
68	XS Touchpad Keyboard	G84-5500LUMTS-2	Repubblica Ceca	nero	nero	USB	Porta USB	89